

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(10/086597).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:08
L2	9	10/086597	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:08
L3	4	10/086597 and (OS or HP-UX or AIX)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:27
L4	2	10/093329	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:29
L5	27	Guta.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:29
L6	601	Gutta.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:30
L7	169	Gutta.in.	US-PGPUB	OR	OFF	2007/05/12 06:30
L8	6	Gutta.in. and search.clm.	US-PGPUB	OR	OFF	2007/05/12 06:32
L9	26734	707/3 or 707/101 or 707/10 or 707/3 or 707/200	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:34

EAST Search History

L10	19	9 and (create with (user near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:34
L11	46	9 and ((creat\$3 or generate\$3) with (user near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:35
L12	0	9 and ((creat\$3 or generate\$3) with (user near2 tree)) and (shared with (file near2 system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:35
L13	2	9 and ((creat\$3 or generate\$3) with (user near2 tree)) and (shared with (file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:35
L14	6	((creat\$3 or generate\$3) with (user near2 tree)) and (shared with (file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:36
L15	0	6 and (sheaable near2 (file near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:36
L16	0	9 and (sheaable near2 (file near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:37
L17	0	9 and (shareable near2 (file near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:37

EAST Search History

L18	0	(shareable near2 (file near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:37
L19	4	(shareable near2 (file near2 system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:37
L20	34	(private near2 (file with area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:38
L21	11	9 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:38
L22	202	9 and ((delete\$1 or remote\$1) with file with link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:39
L23	202	22 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:39
L24	39	22 and (delete with link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:46
L25	0	22 and (delete with link) and (delete with (private near2 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:46

EAST Search History

L26	0	9 and (user near2 file near2 trees)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:43
L27	15	9 and (user near2 file near2 tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:43
L28	0	9 and ((user near2 file near2 tree) same (mount near2 point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:43
L29	29	9 and (user near2 private near2 (file or area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:44
L30	4	9 and (user near2 private near2 (file or area)) and (permission same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:44
L31	0	9 and (user near2 private near2 (file or area)) and (user with defined with permission same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:45
L32	0	9 and (user near2 private near2 (file or area)) and ((user with defined with permission) same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:45
L33	1	(user near2 private near2 (file or area)) and ((user with defined with permission) same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:45

EAST Search History

L34	8	(user near2 private near2 (file or area)) and ((user with permission) same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:45
L35	1	(user near2 private near2 (file or area)) and ((user with permission) same access) and (user near2 processes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:46
L36	0	(user near2 private near2 (file or area)) and ((user with permission) same access) and (user near2 processes).clm.	US-PGPUB	OR	OFF	2007/05/12 06:46
L37	0	(user near2 private near2 (file or area)).clm. and ((user with permission) same access).clm. and (user near2 processes)	US-PGPUB	OR	OFF	2007/05/12 06:46
L38	116	(delete with link).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:47
L39	0	(delete with link).clm. and (delete with (private near2 file)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:47
L40	0	(delete with link).clm. same (user near2 trees).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:47

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(10/086597).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:08
L2	9	10/086597	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:08
L3	4	10/086597 and (OS or HP-UX or AIX)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:27
L4	2	10/093329	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:29
L5	27	Guta.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:29
L6	601	Gutta.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:30
L7	169	Gutta.in.	US-PGPUB	OR	OFF	2007/05/12 06:30
L8	6	Gutta.in. and search.clm.	US-PGPUB	OR	OFF	2007/05/12 06:32
L9	26734	707/3 or 707/101 or 707/10 or 707/3 or 707/200	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:34

EAST Search History

L10	19	9 and (create with (user near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:34
L11	46	9 and ((creat\$3 or generate\$3) with (user near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:35
L12	0	9 and ((creat\$3 or generate\$3) with (user near2 tree)) and (shared with (file near2 system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:35
L13	2	9 and ((creat\$3 or generate\$3) with (user near2 tree)) and (shared with (file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:35
L14	6	((creat\$3 or generate\$3) with (user near2 tree)) and (shared with (file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:36
L15	0	6 and (sheaable near2 (file near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:36
L16	0	9 and (sheaable near2 (file near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:37
L17	0	9 and (shareable near2 (file near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:37

EAST Search History

L18	0	(shareable near2 (file near2 tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:37
L19	4	(shareable near2 (file near2 system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:37
L20	34	(private near2 (file with area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:38
L21	11	9 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:38
L22	202	9 and ((delete\$1 or remote\$1) with file with link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:39
L23	202	22 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:39
L24	39	22 and (delete with link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:46
L25	0	22 and (delete with link) and (delete with (private near2 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:46

EAST Search History

L26	0	9 and (user near2 file near2 trees)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:43
L27	15	9 and (user near2 file near2 tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:43
L28	0	9 and ((user near2 file near2 tree) same (mount near2 point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:43
L29	29	9 and (user near2 private near2 (file or area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:44
L30	4	9 and (user near2 private near2 (file or area)) and (permission same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:44
L31	0	9 and (user near2 private near2 (file or area)) and (user with defined with permission same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:45
L32	0	9 and (user near2 private near2 (file or area)) and ((user with defined with permission) same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:45
L33	1	(user near2 private near2 (file or area)) and ((user with defined with permission) same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:45

EAST Search History

L34	8	(user near2 private near2 (file or area)) and ((user with permission) same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:45
L35	1	(user near2 private near2 (file or area)) and ((user with permission) same access) and (user near2 processes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:46
L36	0	(user near2 private near2 (file or area)) and ((user with permission) same access) and (user near2 processes).clm.	US-PGPUB	OR	OFF	2007/05/12 06:46
L37	0	(user near2 private near2 (file or area)).clm. and ((user with permission) same access).clm. and (user near2 processes)	US-PGPUB	OR	OFF	2007/05/12 06:46
L38	116	(delete with link).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:47
L39	0	(delete with link).clm. and (delete with (private near2 file)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:47
L40	0	(delete with link).clm. same (user near2 trees).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:47
L41	26	tormasov.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:48
L42	0	41 and (shareable same (file near2 system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:48

EAST Search History

L43	0	41 and (user near2 trees)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 06:48
-----	---	---------------------------	---	----	-----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26	tormasov.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 07:50
L2	0	L1 and (user near2 trees) and 707/100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 07:50
L3	17	(user near2 trees) and 707/100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 07:50
L4	2	3 and 707/9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 07:50
L5	12920	707/100 or 707/9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 07:50
L6	0	5 and (user near2 file near2 trees)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 07:50
L7	1	5 and (user near2 file near2 tree) and (private near2 (file or area)),	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 07:51

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

creating user file trees and shareable file syste



[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 42,300 for **creating user file trees and shareable file system and user process**

Scholarly articles for **creating user file trees and shareable file system and user processes and user defined permission access to a private file**



File system viewpath mechanism - Pardo - Cited by 22

Andrew: a distributed personal computing environment - Morris - Cited by 300

Separating Abstractions from Resources in a Tactical ... - Thain - Cited by 10

A General-Purpose File System For Secondary Storage

Unless specifically stated otherwise, the **tree** name of a **file** is **defined** relative ... In attempting to **access** a **file**, a **user** may or may not be successful, ...
www.multicians.org/fjcc4.html - 72k - [Cached](#) - [Similar pages](#)

Chapter 1: Linux Files and File Systems

There are even virtual **files** that give a **user access** to kernel structures. Whereas a **file** ... Before we discuss **file systems** or **permissions** and ownerships, ...
linuxmafia.com/pub/linux/suse-linux-internals/chapter1.html - 56k - [Cached](#) - [Similar pages](#)

OSF DCE SIG H. Melman (OSF) Request For Comments: 35.0 January ...

But even for "dceshared", an administrator or **user** of DCE usually wants to **access** the ... (f) "/export" The default root for the exported **file system tree**. ...
www.opengroup.org/tech/rfc/mirror-rfc/rfc35.0.txt - 39k - [Cached](#) - [Similar pages](#)

RFC NNN

user convenience for frequently used utilities such as idl in usr/bin and ... The root of the **process file system** (in SVR4). /usr. Contains **shareable files** ...
www.opengroup.org/tech/rfc/rfc35.0.html - 37k - [Cached](#) - [Similar pages](#)
[[More results from www.opengroup.org](#)]

Software Download: File-sharing

Ability to Add Edit Delete fifteen different **user defined** property maintenance catagories. ... also it can be used to **create** Online **File Sharing** Solutions. ...
www.sharewareconnection.com/titles/file-sharing9.htm - 94k - [Cached](#) - [Similar pages](#)

Solaris Network File System (NFS)

Access control is not possible for **users**, other than **file** and directory **permissions**. In other words, once a **file system** is exported via NFS, any **user** on any ...
www.softpanorama.org/Net/Application_layer/nfs.shtml - 122k - [Cached](#) - [Similar pages](#)

Three-dimensional file system using a virtual node architecture ...

If the **user** requests creation of a **file** "/usr/bin/x/d", the operating **system** ... The present **system** allows un-shareable (**private**) **files** and **shareable files** to ...
www.freepatentsonline.com/5870734.html - 48k - [Cached](#) - [Similar pages](#)

[PDF] S C T A G

File Format: PDF/Adobe Acrobat - [View as HTML](#)
into each Container. For example, providing direct **access** to a raw disk partition enables the root **user** of a. non-global zone to **create a file system** and ...
www.sun.com/blueprints/0506/819-6186.pdf - [Similar pages](#)

Glossary

The **system user-mode process** responsible for authentication of accounts accessing a ...

User-defined data about the **file** or directory, such as its state or ...

book.itzero.com/.../0735619174/gloss.html - 127k - [Cached](#) - [Similar pages](#)

SGI TPL (IRIX 6.2: End-User/ClrC_UG - Chapter 4. Setting Up a View)

No other **user** will be able to read or write view-**private** data. ... For example, suppose your

file system includes this symbolic link: ...

techpubs.sgi.com/library/tpl/cgi-bin/getdoc.cgi/

0620/bks/SGI_EndUser/books/ClrC_UG/sgi_html/ch04.html - 49k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

backup data from a new storage address and

[Search](#)

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 1,130,000 for **backup data from a new storage address and tracking new stor**

Data Backup

att.com/OnlineVault Automatic Online **Backup** from AT&T From \$5.95/mo. 30 Days Risk Free!

Online Backup Service

www.intronis.com **Backup** Your Computer **Data** Online. Easy & Automated. From \$9.95/mo.

Moving Microsoft Exchange databases to address storage issues

It also gives you a window of opportunity to **address** any **storage** issues with the ... to **new storage** should be preceded by a snapshot **backup** of some kind. ...

searchstoragechannel.techtarget.com/

tip/0,289483,sid98_gci1242352,00.html - 57k - [Cached](#) - [Similar pages](#)

IBM OEMs New Data Protection for SharePoint

The **new** Tivoli **Storage** Manager for SharePoint, IBM's enterprise **data** protection software developed ... **Address** information growth with EMC consolidation. ...

www.eweek.com/article2/0,1895,2125110,00.asp - 113k - May 10, 2007 - [Cached](#) - [Similar pages](#)

ITWire - Symantec Advocates Data Deduplication as Part of an ...

Enterprises struggling to meet **backup** windows seek **new** disk-based **backup** solutions ... customers more flexibility over how they scale their **backup storage**, ...

www.itwire.com.au/content/view/11765/545/ - 46k -

[Cached](#) - [Similar pages](#)

[doc] Storage Management in Microsoft® Windows Server™ 2003 R2: Customer ...

File Format: Microsoft Word - [View as HTML](#)

These **new** tools will help him with many of the ongoing questions that he must **address** in his daily **storage** management routines: How much **data** do we have? ...

download.microsoft.com/download/4/3/6/43605e3f-a123-44ae-b6d4-97f0515078b5/StorageMngmtR2.doc - [Similar pages](#)

[doc] Storage Management in Windows Server 2003 R2: FSRM and Storage ...

File Format: Microsoft Word - [View as HTML](#)

File Server Resource Manager and **Storage** Manager for SANs are two **new** additions to the Microsoft Windows Server 2003 product line that help to **address** these ...

download.microsoft.com/download/7/4/7/7472bf9b-3023-48b7-87be-d2cedc38f15a/WS03R2_Storage_Management.doc -

Sponsored Links

Managed Backup

Its in the name

We know the game

www.managedbackup.com

Backup Data Storage

Disk 2 Disk. Why Risk it with Tape?

99% Bandwidth Reduction. Case Study

www.DataDomain.com

Backup Your Data

Download free trial of Spare **Backup**

& get secure, easy-to-use **backup**.

sparebackup.com

BitLeap Offsite Backup

We have a cute frog.

It's also not a Web Hog.

www.BitLeap.com

Data Backup Storage

Cross-Platform **Data Backup** and

Recovery Solution. Free Trial!

www.CA.com

Sony Backup Data Storage

Sony's LTO **Data** Tape Solutions Are

Robust, Cost-effective & Reliable.

www.sony.com/storagemedia

Data Backup Storage

Simplify **data** recovery with

disk based **backup**. Get more info.

www.NetApp.com

Full PC Backup

Complete **backup** your entire PC

Save all your application settings

www.Acronis.com

[More Sponsored Links »](#)

[Similar pages](#)

[PDF] [THE EVOLUTION OF NETWORKED STORAGE](#) Page: 1

File Format: PDF/Adobe Acrobat - [View as HTML](#)

address:: 906 E. Karcher Road, Nampa, ID 83687. phone:: 1.800.438.3343. web::
www.mpccorp.com. When creating a **new Storage** Group, the properties screen will ...
www.mpccorp.com/common/specifications/servers/exchange_server_dataframe.pdf -
[Similar pages](#)

[IT-Director.com - Imation's Data Storage Tracking System Addresses ...](#)

Imation Corp, a major vendor in removable **data storage** media, has announced ... Sageza
believes astute organizations must **address** the need to effectively ...
www.it-director.com/r/c/9361/f/fd_itadm_21 - 34k - [Cached](#) - [Similar pages](#)

[PDF] [WHITE PAPER New Options for Managing Tiers of Storage in the ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

They need **storage** systems that help them **address** all of these requirements. ... these
new data types as well as the evolving life cycle of all **data**, ...
www.hds.com/pdf/idc_report_jan_2005.pdf - [Similar pages](#)

[How a new government rule affects your storage infrastructure ...](#)

High **Storage** Energy Costs? Learn about the costs of powering disk and tape **backup** —
and learn what options work best to **address** the rising price of energy. ...
www.networkworld.com/newsletters/stor/2006/0821stor1.html?fsrc=rss-storagegmt - 77k
- [Cached](#) - [Similar pages](#)

[IBM OEMs New Data Protection for SharePoint](#)

The **new** Tivoli **Storage** Manager for SharePoint, IBM's enterprise **data** protection
software ... TSM for MS SharePoint provides **data backup** at a granular level, ...
www.channelinsider.com/article/
IBM+OEMs+New+Data+Protection+for+SharePoint/206670_1.aspx - 56k -
[Cached](#) - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

creating user file trees and shareable file syste



[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 42,300 for **creating user file trees and shareable file system and user process**

Scholarly articles for **creating user file trees and shareable file system and user processes and user defined permission access to a private file**



File system viewpath mechanism - Pardo - Cited by 22

Andrew: a distributed personal computing environment - Morris - Cited by 300

Separating Abstractions from Resources in a Tactical ... - Thain - Cited by 10

A General-Purpose File System For Secondary Storage

Unless specifically stated otherwise, the **tree** name of a **file** is **defined** relative ... In attempting to **access** a **file**, a **user** may or may not be successful, ...

www.multicians.org/fjcc4.html - 72k - [Cached](#) - [Similar pages](#)

Chapter 1: Linux Files and File Systems

There are even virtual **files** that give a **user access** to kernel structures. Whereas a **file** ... Before we discuss **file systems** or **permissions** and ownerships, ...

linuxmafia.com/pub/linux/suse-linux-internals/chapter1.html - 56k - [Cached](#) - [Similar pages](#)

OSF DCE SIG H. Melman (OSF) Request For Comments: 35.0 January ...

But even for "dceshared", an administrator or **user** of DCE usually wants to **access** the ...

(f) **"/export"** The default root for the exported **file system tree**. ...

www.opengroup.org/tech/rfc/mirror-rfc/rfc35.0.txt - 39k - [Cached](#) - [Similar pages](#)

RFC NNN

user convenience for frequently used utilities such as **idl** in **usr/bin** and ... The root of the **process file system** (in SVR4). **/usr**. Contains **sharable files** ...

www.opengroup.org/tech/rfc/rfc35.0.html - 37k - [Cached](#) - [Similar pages](#)

[[More results from www.opengroup.org](#)]

Software Download: File-sharing

Ability to Add Edit Delete fifteen different **user defined** property maintenance catagories. ... also it can be used to **create** Online **File Sharing** Solutions. ...

www.sharewareconnection.com/titles/file-sharing9.htm - 94k - [Cached](#) - [Similar pages](#)

Solaris Network File System (NFS)

Access control is not possible for **users**, other than **file** and directory **permissions**. In other words, once a **file system** is exported via NFS, any **user** on any ...

www.softpanorama.org/Net/Application_layer/nfs.shtml - 122k - [Cached](#) - [Similar pages](#)

Three-dimensional file system using a virtual node architecture ...

If the **user** requests creation of a **file** **"/usr/bin/x/d"**, the operating **system** ... The present **system** allows un-sharable (**private**) **files** and **sharable files** to ...

www.freepatentsonline.com/5870734.html - 48k - [Cached](#) - [Similar pages](#)

[PDF] S C T A G

File Format: PDF/Adobe Acrobat - [View as HTML](#)

into each Container. For example, providing direct **access** to a raw disk partition enables the root **user** of a. non-global zone to **create** a **file system** and ...

www.sun.com/blueprints/0506/819-6186.pdf - [Similar pages](#)

Glossary

The **system user-mode process** responsible for authentication of accounts accessing a ...

User-defined data about the **file** or directory, such as its state or ...

book.itzero.com/.../0735619174/gloss.html - 127k - [Cached](#) - [Similar pages](#)

SGI TPL (IRIX 6.2: End-User/ClrC_UG - Chapter 4. Setting Up a View)

No other **user** will be able to read or write view-**private** data. ... For example, suppose your

file system includes this symbolic link: ...

techpubs.sgi.com/library/tpl/cgi-bin/getdoc.cgi/

0620/bks/SGI_EndUser/books/ClrC_UG/sgi_html/ch04.html - 49k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google